





VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
414 460 0005 414 333 0235	D 03.69	Spurstangengel. Innengew. Tie rod end, internal thread. M 14x1,5 RH	L ⇐	
414 460 0105 414 333 0135	D 03.70	Spurstangengel. Innengew. Tie rod end, internal thread. M14x1,5 RH,	R ⇒	
414 460 0205 414 330 0035	D 03.68	Axialgelenk, innen Axial joint, inner M14x1,5	L ⇐	
414 330 0227 414 330 0127	D 03.91	Traggelenk, VA Suspension joint	L+R ⇓	
414 330 0507 414 330 0307	D 03.93	Querlenker mit Gummilager. Control arm with bushing Vorderachse / front axle	L ⇓	
414 330 0607 414 330 0407	D 03.94	Querlenker mit Gummilager. Control arm with bushing Vorderachse / front axle	R ⇓	
414 320 0389 414 320 0189	D 03.40	Pendelstütze Vorderachse Self-alignment link front axle	L+R ⇐⇒ 	







MERCEDES-BENZ G-KLASSE

W 460 **GELÄNDEWAGEN**
 230G/230GE/280GE
 240GD/250GD/300GE



Ltr. 2,3/2,8
 2,4D2,5D/3,0D







Baujahr **03/1979 - 08/1993**
 Year

VERGLEICHS-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
463 463 5315 463 463 0715 463 463 0015	D 41.61	Lenkstange, verstellbar Drag link, adjustable L= 1053 mm, K20	L I ↔	
631 338 0510 001 460 4835	D 41.72	Spurstangengelenk Tie rod end M20x1,5 RH K20		
631 338 0435 000 460 7348	D 79.20	Spurstangengelenk Tie rod end M20x1,5 LH K20		
460 330 0703	D 41.51	Spurstange, verstellbar Tie rod, adjustable L= 1100 mm, K18 <i>bis/till FG-No7007725</i>	C ↔	
601 330 5335 601 330 0435	D 41.71	Spurstangengelenk Tie rod end M20x1,5 RH K18		
460 330 1803 460 330 1703	D 41.53	Spurstange, verstellbar Tie rod, adjustable L= 1102 mm, K20 <i>ab/from FG-Nr. 7007726</i>	C ↔	
602 330 0335 602 330 0235	D 61.17	Spurstangengel. Innengew. Tie rod end internal thread M22x1,5 RH K20		
460 330 2003 460 330 1903	D 41.52	Spurstange, verstellbar Tie rod, adjustable L= 1100 mm, K20 <i>Modell W460, 250GD/300GD</i> <i>Modell W461, 250GD</i> <i>Modell Puch/Steyr 250GD/300GD</i> <i>Ab/from FG-Nr. 7007726</i>	C ↔	
602 330 0335 602 330 0235	D 61.17	Spurstangengel. Innengew. Tie rod end internal thread M22x1,5 RH K20		



Ltr. 2,3
2,5D/2,9D

Baujahr 02/1990 -
Year

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
463 463 5315 463 463 0715 463 463 0015	D 41.61	Lenkstange, verstellbar Drag link, adjustable L= 1053 mm	L ⇔	
631 338 0510 001 460 4835	D 41.72	Spurstangengelenk Tie rod end M20x1,5 RH K20		
631 338 0435 000 460 7348	D 79.20	Spurstangengelenk Tie rod end M20x1,5 LH K20		
460 330 0703	D 41.51	Spurstange, verstellbar Tie rod, adjustable L= 1100 mm, K18 <i>bis/till FG-No7007725</i>	C ⇔	
601 330 5335 601 330 0435	D 41.71	Spurstangengelenk Tie rod end M20x1,5 RH K18		
460 330 1803 460 330 1703	D 41.53	Spurstange, verstellbar Tie rod, adjustable L= 1102 mm, K20 <i>ab/from FG-Nr. 7007726</i>	C ⇔	
602 330 0335 602 330 0235	D 61.17	Spurstangengel. Innengew. Tie rod end internal thread M22x1,5 RH K20		
460 330 2003 460 330 1903	D 41.52	Spurstange, verstellbar Tie rod, adjustable L= 1100 mm, K20	C ⇔	
602 330 0335 602 330 0235	D 61.17	Spurstangengelenk Innengew. Tie rod end internal thread M22x1,5 RH K20		

MERCEDES-BENZ G-KLASSE



W 463 GELÄNDEWAGEN

230GE/300GE/G320/G36AMG/G500
G500E/G55AMG
250GD/G270CDI/300GD/G300TG/G320CDI
350G-Turbo/G400CDI

Ltr.

2,3/3,0/3,2/3,6/5,0/5,5
2,5D/2,7D/3,0D/3,2D/
3,5D/4,0D




Baujahr 09/1989 -
Year

W 463 GELÄNDEWAGEN CABRIO

230GE/300GE/320GE/G320/G500
G320CDI/300GD/G300TD/G320CDI
350G-Turbo-D/G400CDI

2,5D/3,0/3,2/5,0
3,0D/3,5D/4,0D

04/1980 -

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
463 463 5315 463 463 0715 463 463 0015	D 41.61	Lenkstange, verstellbar Drag link, adjustable L= 1053 mm	L ⇄	
631 338 0510 001 460 4835	D 41.72	Spurstangengelenk Tie rod end M20x1,5 RH K20		
631 338 0435 000 460 7348	D 79.20	Spurstangengelenk Tie rod end M20x1,5 LH K20		
463 330 0403 463 330 0303	D 41.66	Spurstange, verstellbar Tie rod, adjustable K20 L= 1152 mm	C ⇄	
602 330 0335 602 330 0235	D 61.17	Spurstangengelenk Innengew. Tie rod end internal thread M22x1,5 RH K20		



MERCEDES-BENZ

T1 (601) BUS

208 2,3/210 2,3/210 2,8
207D 2,4/208D 2,3/209D 2,9

Ltr. 2,3/2,8
2,3D/2,4D/2,9D

Baujahr 05/1977 - 02/1996
Year

T1 (601) KASTEN/BOX BODY

208 2,3/210 2,3/210 2,8
207D 2,4/208D 2,3/209D 2,9

2,3/2,8
2,3D/2,4D/2,9D

05/1977 - 02/1996

T1 (601) PRITSCH/PLATFORM

210 2,3
207D 2,4/208D 2,3/209D 2,9/210D 2,8

2,3
2,3D/2,4D/2,8D/2,9D

01/1977 - 02/1996

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
<i>VORDERACHS-NR./FRONT AXLE NO. 730 404/730 446</i>				
602 330 0403 602 330 0303	D 50.07	Spurstange, 1x verstellbar Tie rod, 2x adjustable K18 L= 1356 mm	C	
601 330 5335	D 41.71	Spurstangengelenk Tie rod end M20x1.5 LH, K18		
<i>VORDERACHS-NR./FRONT AXLE NO. 730 403/730 445</i>				
602 330 5403 602 330 1003 602 330 0903	D 50.06	Spurstange, 2x verstellbar Tie rod, 2x adjustable K18 L= 1356 mm	C	
<i>VORDERACHS-NR./FRONT AXLE NO. 730 404/730 446</i>				
602 330 5735 602 330 0135	D 50.28	Spurstangengelenk Tie rod end M24x1.5 LH, K18 L= 115 mm		
602 330 5835 602 330 0035	D 50.27	Spurstangengelenk Tie rod end M24x1.5 RH, K18 L= 115 mm		
<i>BIS/TILL FG-NR./CH-NO. 152 683 MIT SERVOLENKUNG/WITH POWER STEERING BIS/TILL FG-NR./CH-NO. 152 919 OHNE SERVOLENKUNG/WITHOUT POWER STEERING</i>				
309 460 3205 309 460 3105	D 59.16	Lenkstange verstellbar Drag link adjustable K18 L= 486 mm	L	
310 330 1335 000 460 8548	D 52.22	Spurstangengelenk Tie rod end M22x1.5 RH L= 95 mm		




MERCEDES-BENZ

MERCEDES-BENZ

T1 (601) BUS 208 2,3/210 2,3/210 2,8 207D 2,4/208D 2,3/209D 2,9	Ltr. 2,3/2,8 2,3D/2,4D/2,9D	Baujahr Year 05/1977 - 02/1996
T1 (601) KASTEN/BOX BODY 208 2,3/210 2,3/210 2,8 207D 2,4/208D 2,3/209D 2,9	2,3/2,8 2,3D/2,4D/2,9D	05/1977 - 02/1996
T1 (601) PRITSCH/PLATFORM 210 2,3 207D 2,4/208D 2,3/209D 2,9/210D 2,8	2,3 2,3D/2,4D/2,8D/2,9D	01/1977 - 02/1996

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
---------------------------------	----------	--	--------------------	----------------

AB/FROM FG-NR./CH-NO. 152 684 MIT SERVOLENKUNG/WITH POWER STEERING
 AB/FROM FG-NR./CH-NO. 152 920 OHNE SERVOLENKUNG/WITHOUT POWER STEERING



601 460 1505	D 50.15	Lenkstange verstellbar Drag link adjustable K18 L= 470 mm	L I↔	
310 330 1335 000 460 8548	D 52.22	Spurstangengelenk Tie rod end M22x1.5 RH K18,		
000 460 8748	D 52.23	Spurstangengelenk Tie rod end M22x1.5 LH K18,		

MERCEDES-BENZ


T1 (602) BUS 308D 2,3/310D 2,9	Ltr. 2,3D/2,9D	Baujahr Year 04/1977 - 02/1996
T1 (602) KASTEN/BOX BODY 307D 2,4/308D 2,3/309D 3,0/310D 2,9	2,3D/2,4D/2,9D/3,0D	10/1982 - 02/1996
T1 (602) PRITSCH/PLATFORM 307D 2,4/308D 2,3/309D 3,0/310D 2,9	2,3D/2,4D/2,9D/3,0D	10/1982 - 02/1996

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
---------------------------------	----------	--	--------------------	----------------

VORDERACHS-NR./FRONT AXLE NO. 730 404/730 446

602 330 0403 602 330 0303	D 50.07	Spurstange, 1x verstellbar Tie rod, 2x adjustable K18 L= 1356 mm	C I↔	
601 330 5235	D 41.73	Spurstangengelenk Tie rod end M20x1.5 RH, K18		



Ltr. 2,3D/2,9D

Baujahr
Year 04/1977 - 02/1996

T1 (602) BUS

308D 2,3/310D 2,9

T1 (602) KASTEN/BOX BODY

307D 2,4/308D 2,3/309D 3,0/310D 2,9

2,3D/2,4D/2,9D/3,0D

10/1982 - 02/1996

T1 (602) PRITSCH/PLATFORM

307D 2,4/308D 2,3/309D 3,0/310D 2,9

2,3D/2,4D/2,9D/3,0D

10/1982 - 02/1996

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
<i>VORDERACHS-NR./FRONT AXLE NO. 730 403/730 445</i>				
602 330 5403 602 330 1003 602 330 0903	D 50.06	Spurstange, 2x verstellbar Tie rod, 2x adjustable K18 L= 1356 mm	C ⇔	
602 330 5735 602 330 0135	D 50.28	Spurstangengelenk Tie rod end M24x1.5 LH, K18		
602 330 5835 602 330 0035	D 50.27	Spurstangengelenk Tie rod end M24x1.5 RH, K18		
601 460 1505	D 50.15	Lenkstange verstellbar Drag link adjustable K18 L= 470 mm	L ⇔	
310 330 1335 000 460 8548	D 52.22	Spurstangengelenk Tie rod end M22x1.5 RH, K18		
000 460 8748	D 52.23	Spurstangengelenk Tie rod end M22x1.5 RH, K18		

MERCEDES-BENZ


100 (631) **BUS**
 D(631,333,631,343,631,343,631,334,631,344)











Ltr. 2,4D

 Baujahr
 Year 02/1988 - 02/1996

100 (631) **KASTEN / BOX**
 D(631,332,631,342)

2,4D

02/1988 - 02/1996

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
<i>BIS/TILL FG-NR./CH-NO. 013457</i>				
631 330 0303	D 79.01	Spurstange, verstellbar Tie rod, adjustable K18 L= 294 mm	L+R ↔⇒	
631 338 0310	D 79.24	Spurstangengelenk Tie rod end M18x1.5 RH; K18		
631 338 0410	D 79.25	Spurstangengelenk Tie rod end M18x1.5 LH, K18		
<i>AB/FROM FG-NR./CH-NO. 013458</i>				
631 330 0603	D 79.02	Spurstange, verstellbar Tie rod, adjustable K22 L= 668 mm	C ⇔	
631 330 0535	D 79.22	Spurstangengelenk Tie rod end M24x1.5 RH, K22		
631 330 0703	D 79.03	Spurstange, verstellbar Tie rod, adjustable K20 L= 300 mm	L+R ↔⇒	
631 338 0510 001 330 4835	D 41.72	Spurstangengelenk Tie rod end M20x1.5 RH, K20		
631 338 0435 000 460 7348	D 79.20	Spurstangengelenk Tie rod end M20x1.5 LH, K20		
631 460 0705	D 79.04	Lenkstange verstellbar Drag link adjustable K18 L= 1243 mm	C ⇔	
000 460 6548	D 79.26	Spurstangengelenk Tie rod end M18x1.5 RH, K18		
631 320 0228	D 79.50	Traggelenk, VA Suspension joint K22	L+R ↓	

MERCEDES-BENZ

MERCEDES-BENZ V-KLASSE

W 638/2 GROSSRAUMLIMOUSINE
V200/V230/V280
V200CDI/V220CDI/V230TD



Ltr. 2,0/2,3/2,8
2,0D/2,2D/2,3D

Baujahr 02/1996 - 07/2003
Year



VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
638 460 0348 638 460 0048	D 79.30	Spurstangengelenk Innengew. Tie rod end internal thread M16x1,5 RH	L+R ⇔⇔	
638 460 0055	D 79.31	Axialgelenk, innen Axial joint, inner M16X1,5	L+R ⇔ ⇔	
638 330 0010	D 79.95	Querlenker, Vorderachse Control arm, front axle	L ↓	
638 330 0110	D 79.96	Querlenker, Vorderachse Control arm, front axle	R ↓	
638 330 0027	D 79.90	Traggelenk, Vorderachse Suspension joint rear axle	L+R ↑	
638 323 0268	D 79.41	Stabilisator Vorderachse Link, stabilizer, front axle	L ↗ 	
638 323 0368	D 79.42	Stabilisator Vorderachse Link, stabilizer, front axle	R ↘ 	
638 326 0116 638 326 0016	D 79.48	Stabilisator Hinterachse Link, stabilizer, rear axle	L+R ↘ ↗ 	

MERCEDES-BENZ
W 638 VITO BUS

113 2,0/114 2,3

108D/108CDI/110TD/110CDI/112CDI

W 638 VITO KASTEN/BOX

113 2,0/114 2,3






108D/108CDI/110TD/110CDI/112CDI


 Ltr. 2,0/2,3
 2,3D/2,2D

 Baujahr
 Year 02/1996 - 07/2003

 2,0/2,3
 2,3D/2,2D

03/1997 - 07/2003

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
638 460 0348 638 460 0048	D 79.30	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	L+R ↔↔	
638 460 0255	D 79.32	Axialgelenk, innen Axial joint, inner M16X1,5	L+R ↔ ↔	
638 330 0010	D 79.95	Querlenker, Vorderachse Control arm, front axle	L ↓	
638 330 0110	D 79.96	Querlenker, Vorderachse Control arm, front axle	R ↓	
638 330 0027	D 79.90	Führungsgelenk Suspension joint	L+R ↓	
638 323 0268	D 79.41	Drehstabgestänge Torsion bar rear ax	L ↗ 	
638 323 0368	D 79.42	Drehstabgestänge Torsion bar rear axle	R ↖ 	
638 326 0116 638 326 0016	D 79.48	Stabilisator Hinterachse Link, stabilizer, rear axle	L+R ↗↖ 	

MERCEDES-BENZ









W 639 **VITO BUS**
119/122/123/126
109CDI/111CDI/4x4/115CDI/4x4/120CDI
W 639 **VITO KASTEN/BOX/BODY**
119 3,2/122 3,2/126
109CDI/111CDI/4x4/115CDI/4x4/120CDI

Ltr. 3,2/35/3,8
2,2D/3,0D

Baujahr 09/2003 -
Year

3,2/35
2,2D/3,0D

09/2003 -

VERGLEICHS-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
639 460 0048	D 79.35	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	L ⇐	
639 460 0348	D 79.34	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	R ⇒	
639 460 0055	D 79.33	Axialgelenk, innen Axial joint, inner M16X1,5	L+R ⇔ ⇐	
639 330 0410	D 79.97	Querlenker, Vorderachse Control arm, front axle	L ↓	
639 330 0510	D 79.98	Querlenker, Vorderachse Control arm, front axle	R ↓	
639 333 0227	D 79.91	Führungsgelenk Suspension joint	L+R ↓	
639 320 0298 639 320 0089	D 79.43	Pendelstütze, Vorderachse Self-alignment link, front axle	L ↗ 	
639 320 0398 639 320 0189	D 79.44	Pendelstütze, Vorderachse Self-alignment link, front axle	R ↘ 	


 2-t (901,902) **BUS**
 214

208D/208CDI/210D/211CDI/212D/213CDI/216CDI

 Ltr. 2,3
 2,2D/2,3D
 2,8D/3,0D

 Baujahr
 Year **01/1995 - 05/2006**

 2-t (901,902) **KASTEN/BOX/BODY**
 214

208D/208CDI/210D/211CDI/212D/213CDI/216CDI

 2,3
 2,2D/2,3D
 2,8D/3,0D






01/1995 - 05/2006

 2-t (901,902) **PRITSCH/PLATFORM**
 214

208D/208CDI/210D/211CDI/212D/213CDI/216CDI

 2,3
 2,2D/2,3D
 2,8D/3,0D

01/1995 - 05/2006

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
VA-Nr. 730.407, 730.408, 730.410, 730.411, 730.412, 730.413, 730.414				
667 330 0603	D 68.04	Spurstange, verstellbar, Mitte Tie rod, adjustable K18 L= 1600 mm	C ⇔	
601 330 5335	D 41.71	Spurstangengelenk Tie rod end M20x1.5 LH, K18		
601 330 5235	D 41.73	Spurstangengelenk Tie rod end M20x1.5 RH, K18		
AB/FROM 01/1997				
901 460 0205	D 69.71	Spurstange, aussen Tie rod end, outer	L+R ⇔⇔	
901 460 0348	D 69.72	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5	L+R ⇔⇔	
901 460 0455	D 69.70	Axialgelenk Axial joint M16X1,5	L+R ⇔ ⇔	
901 330 1807 2D0 407 021	D 69.81	Querlenker, Vorderachse Control arm, front axle	L ↓	
901 330 1907 2D0 407 022	D 69.80	Querlenker, Vorderachse Control arm, front axle	R ↓	

MERCEDES-BENZ

FORTSETZUNG / CONTINUATION

MERCEDES-BENZ SPRINTER



2-t (901,902) BUS

214

208D/208CDI/210D/211CDI/212D/213CDI/216CDI

Ltr. 2,3

2,2D/2,3D

2,8D/3,0D

Baujahr
Year

01/1995 - 05/2006

2-t (901,902) KASTEN/BOX/BODY

214

208D/208CDI/210D/211CDI/212D/213CDI/216CDI

2,3

2,2D/2,3D

2,8D/3,0D

01/1995 - 05/2006

2-t (901,902) PRITSCH/PLATFORM

214

208D/208CDI/210D/211CDI/212D/213CDI/216CDI

2,3

2,2D/2,3D

2,8D/3,0D

01/1995 - 05/2006

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
901 333 1227 901 333 1127 901 333 0727	D 69.90	Traggelenk, VA Suspension joint	L+R	
<i>ACHSLAST 1500 KG / AXEL LOAD 1500 KG</i>				
638 460 0348 638 460 0048	D 79.30	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	L+R	
901 320 0289	D 69.41	Pendelstütze, Vorderachse Self-alignment link, front axle	L	
901 320 0389	D 69.42	Pendelstütze, Vorderachse Self-alignment link, front axle	R	
901 320 0089	D 69.43	Pendelstütze, Hinterachse Self-alignment link, rear axle	L+R	

MERCEDES-BENZ SPRINTER



3-t (903) **BUS**
314/314 4x4
308D/308CDI/310D/311CDI/4x4/312D2,9/4x4
316CDI/4x4

3-t (903) **KASTEN/BOX/BODY**
314/314 4x4
308D/308CDI/310D/311CDI/4x4/312D2,9/4x4
316CDI/4x4

3-t (903) **PRITSCHEN/PLATFORM**
314/314 4x4
308D/308CDI/310D/311CDI/4x4/312D2,9/4x4
316CDI/4x4

Ltr. 2,3
2,2D/2,3D
2,7D/2,9D





Baujahr
Year 01/1995 - 05/2006

2,3
2,2D/2,3D
2,7D/2,9D

01/1995 - 05/2006

2,3
2,2D/2,3D
2,7D/2,9D

01/1995 - 05/2006

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
VA-Nr. 730.407, 730.408, 730.410, 730.411, 730.412, 730.413, 730.414				
667 330 0603	D 68.04	Spurstange, verstellbar, Mitte Tie rod, adjustable K18 L= 1600 mm	C ⇔	
601 330 5335	D 41.71	Spurstangengelenk Tie rod end M20x1.5 LH, K18		
601 330 5235	D 41.73	Spurstangengelenk Tie rod end M20x1.5 RH, K18		
901 460 0205	D 69.71	Spurstange, aussen Tie rod end, outer	L+R ⇔⇔	
901 460 0455	D 69.70	Axialgelenk Axial joint M16x1,5	L+R ⇔ ⇔	
901 460 0348	D 69.72	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	L+R ⇔⇔	
901 330 1807 2D0 407 021	D 69.81	Querlenker, Vorderachse Control arm, front axle	L ↓	
901 330 1907 2D0 407 022	D 69.80	Querlenker, Vorderachse Control arm, front axle	R ↓	

MERCEDES-BENZ

FORTSETZUNG / CONTINUATION

MERCEDES-BENZ SPRINTER



3-t (903) BUS

314/314 4x4
308D/308CDI/310D/311CDI/4x4/312D2,9/4x4
316CDI/4x4

Ltr. 2,3
2,2D/2,3D
2,7D/2,9D

Baujahr
Year 01/1995 - 05/2006

3-t (903) KASTEN/BOX/BODY

314/314 4x4
308D/308CDI/310D/311CDI/4x4/312D2,9/4x4
316CDI/4x4

2,3
2,2D/2,3D
2,7D/2,9D



01/1995 - 05/2006

3-t (903) PRITSCHEN/PLATFORM

314/314 4x4
308D/308CDI/310D/311CDI/4x4/312D2,9/4x4
316CDI/4x4







2,3
2,2D/2,3D
2,7D/2,9D

01/1995 - 05/2006

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
901 333 1227 901 333 1127 901 333 0727	D 69.90	Traggelenk, VA Suspension joint	L+R ↑	
ACHSLAST 1500 KG/AXLE LOAD 1500 KG				
638 460 0348 638 460 0048	D 79.30	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	L+R ↔	
901 320 0289	D 69.41	Pendelstütze, Vorderachse Self-alignment link, front axle	L ↗ 	
901 320 0389	D 69.42	Pendelstütze, Vorderachse Self-alignment link, front axle	R ↖ 	
901 320 0089	D 69.43	Pendelstütze, Hinterachse Self-alignment link, rear axle	L+R ↗↖ 	

MERCEDES-BENZ SPRINTER


4-t (904) BUS 414 408CDI/411CDI/413CDI/416CDI	Ltr. 2,3 2,2D/2,7D	Baujahr Year 02/1996 - 05/2006
4-t (904) KASTEN/BOX/BODY 414/414 4x4 408D7408CDI/410D/4x4/411CDI/4x4/412CDI/4x4 413CDI/4x4/416CDI/4x4	2,3 2,2D/2,3D 2,7D/2,9D	02/1996 - 05/2006
4-t (904) PRITSCHEN/PLATFORM 414/414 4x4 408D7408CDI/410D/4x4/411CDI/4x4/412CDI/4x4 413CDI/4x4/416CDI/4x4	2,3 2,2D/2,3D 2,7D/2,9D	02/1996 - 05/2006

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
VA-Nr. 730.407, 730.408, 730.410, 730.411, 730.412, 730.413, 730.414				
667 330 0603	D 68.04	Spurstange, verstellbar, Mitte Tie rod, adjustable K18 L= 1600 mm	C 	
601 330 5335	D 41.71	Spurstangengelenk Tie rod end M20x1.5 LH, K18		
601 330 5235	D 41.73	Spurstangengelenk Tie rod end M20x1.5 RH, K18		
901 460 0205	D 69.71	Spurstange, aussen Tie rod end, outer	L+R 	
901 460 0455	D 69.70	Axialgelenk Axial joint M16x1,5	L+R 	
901 460 0348	D 69.72	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	L+R 	
901 330 1807 2D0 407 021	D 69.81	Querlenker, Vorderachse Control arm, front axle	L 	
901 330 1907 2D0 407 022	D 69.80	Querlenker, Vorderachse Control arm, front axle	R 	

MERCEDES-BENZ

FORTSETZUNG / CONTINUATION

MERCEDES-BENZ SPRINTER



4-t (904) BUS

414

408CDI/411CDI/413CDI/416CDI

Ltr. 2,3
2,2D/2,7D

Baujahr
Year 02/1996 - 05/2006

4-t (904) KASTEN/BOX/BODY

414/414 4x4

408D7408CDI/410D/4x4/411CDI/4x4/412CDI/4x4

413CDI/4x4/416CDI/4x4

2,3
2,2D/2,3D
2,7D/2,9D

02/1996 - 05/2006

4-t (904) PRITSCHEN/PLATFORM

414/414 4x4

408D7408CDI/410D/4x4/411CDI/4x4/412CDI/4x4

413CDI/4x4/416CDI/4x4

2,3
2,2D/2,3D
2,7D/2,9D

02/1996 - 05/2006

VERGLEICHS-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
901 333 1227 901 333 1127 901 333 0727	D 69.90	Traggelenk, VA Suspension joint	L+R	
<i>ACHSLAST 1500 KG/AXLE LOAD 1500 KG</i>				
638 460 0348 638 460 0048	D 79.30	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	L+R	
901 320 0289	D 69.41	Pendelstütze, Vorderachse Self-alignment link, front axle	L	
901 320 0389	D 69.42	Pendelstütze, Vorderachse Self-alignment link, front axle	R	
901 320 0089	D 69.43	Pendelstütze, Hinterachse Self-alignment link, rear axle	L+R	



3-t (906) **BUS**
224

Ltr. 3,5
2,2D

Baujahr 06/2006 -
Year

3-t (906) **KASTEN/BOX/BODY**
224

3,5
2,2D/3,0D

06/2006 -







209CDI/211CDI/213CDI/215CDI/218CDI

3-t (904) **PRITSCHEN/PLATFORM**
224

3,5
2,2D/3,0D

06/2006 -

209CDI/211CDI/213CDI/215CDI/218CDI

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
	D 69.73	Spurstange, aussen Tie rod end, outer	L+R ↔	
901 460 0485 A906 1048 1003 2E0 713 501	D 69.74	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	L+R ↔	
906 460 0055 A906 1055 1003 2E0 713 491	D 69.75	Axialgelenk Axial joint M16X1,5	L+R ↔ ↔	
906 330 4007 2E0 407 151M	D 69.83	Querlenker, Vorderachse Control arm, front axle	L ↓	
906 330 4107 2E0 407 152M	D 69.82	Querlenker, Vorderachse Control arm, front axle	R ↓	
906 320 1789 2E0 411 317C	D 69.45	Pendelstütze, Vorderachse Self-alignment link, front axle	L ↗ 	
906 320 1889 2E0 411 318C	D 69.46	Pendelstütze, Vorderachse Self-alignment link, front axle	R ↖ 	
906 320 1389 2E0 511 051F	D 69.47	Pendelstütze, Hinterachse Self-alignment link, rear axle	L+R ↗↖ 	

MERCEDES-BENZ

MERCEDES-BENZ SPRINTER



3,5-t (906) **BUS**
324

Ltr. 3,5
2,2D

Baujahr 06/2006 -
Year

311CDI/315CDI

3,5-t (906) **KASTEN/BOX/BODY**
324

3,5
2,2D/3,0D

06/2006 -








309CDI/311CDI/315CDI/318CDI

3,5-t (904) **PRITSCHEN/PLATFORM**
324

3,5
2,2D/3,0D

06/2006 -

309CDI/311CDI/315CDI/318CDI

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
	D 69.73	Spurstange, aussen Tie rod end, outer	L+R ↔	
901 460 0485 A906 1048 1003 2E0 713 501	D 69.74	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	L+R ↔	
906 460 0055 A906 1055 1003 2E0 713 491	D 69.75	Axialgelenk Axial joint M16x1,5	L+R ↔ ↔	
906 330 4007 2E0 407 151M	D 69.83	Querlenker, Vorderachse Control arm, front axle	L ↓	
906 330 4107 2E0 407 152M	D 69.82	Querlenker, Vorderachse Control arm, front axle	R ↓	
906 320 1789 2E0 411 317C	D 69.45	Pendelstütze, Vorderachse Self-alignment link, front axle	L ↗ 	
906 320 1889 2E0 411 318C	D 69.46	Pendelstütze, Vorderachse Self-alignment link, front axle	R ↖ 	
906 320 1389 2E0 511 051F	D 69.47	Pendelstütze, Hinterachse Self-alignment link, rear axle	L+R ↗↖ 	

MERCEDES-BENZ SPRINTER







5-t (906) **KASTEN/BOX/BODY**
 509CDI/511CDI/515CDI/518CDI
 5-t (904) **PRITSCHEN/PLATFORM**
 509CDI/511CDI/515CDI/518CDI



Ltr. 2,2D/3,0D
 2,2D/3,0D

MERCEDES-BENZ

Baujahr 06/2006 -
 Year 06/2006 -

VERGLEICH-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG / ABMESSUNG DESCRIPTION / DIMENSION	EINBAU POSITION	BILD FIGURE
	D 69.73	Spurstange, aussen Tie rod end, outer	L+R ↔	
901 460 0485 A906 1048 1003 2E0 713 501	D 69.74	Spurstangengel. Innengew. Tie rod end, internal thread M16x1,5 RH	L+R ↔	
906 460 0055 A906 1055 1003 2E0 713 491	D 69.75	Axialgelenk Axial joint M16X1,5	L+R ↔ ↔	
906 330 4007 2E0 407 151M	D 69.83	Querlenker, Vorderachse Control arm, front axle	L ↓	
906 330 4107 2E0 407 152M	D 69.82	Querlenker, Vorderachse Control arm, front axle	R ↓	
906 320 1789 2E0 411 317C	D 69.45	Pendelstütze, Vorderachse Self-alignment link, front axle	L ↗ 	
906 320 1889 2E0 411 318C	D 69.46	Pendelstütze, Vorderachse Self-alignment link, front axle	R ↘ 	
906 320 1389 2E0 511 051F	D 69.47	Pendelstütze, Hinterachse Self-alignment link, rear axle	L+R ↗↘ 	